Product data sheet Characteristics

ZCKE05

Limit switch head, Limit switches XC Standard, ZCKE, without lever left and right actuation





Main

Telemecanique Limit switches XC Standard	
Standard format	
Limit switch head	
ZCKE	
Rotary head	
XCKJ	
ZCKY91 ZCKY52 ZCKY53 ZCKY11 ZCKY13 ZCKY43 ZCKY44 ZCKY51 ZCKY51 ZCKY44 ZCKY81 ZCKY81 ZCKY41	
ZCKJD37H7 ZCKJ5H29 ZCKJ8H7 ZCKJ1H29 ZCKJ8 ZCKJ7 ZCKJ41 ZCKJ6H29 ZCKJ6H29 ZCKJ11H29 ZCKJ11H7 ZCKJD35H7 ZCKJD31H7 ZCKJD31H7 ZCKJD31H7 ZCKJD31H7 ZCKJD31H7	
	Standard format

ZCKJ4H29 ZCKJD35H29

ZCKJ6

ZCKJ11 ZCKJ5

ZCKJ7H29

ZCKJ1H7

ZCKJ7H7

ZCKJ9

ZCKJ8H29

ZCKJ6H7

ZCKJ4104H29

ZCKJD31

ZCKJ4104H7

ZCKJ5H7

ZCKJ2H7

ZCKJ404H29

ZCKJD37H29

ZCKJ4

ZCKJ21H7

ZCKJ1

ZCKJ2H29

ZCKJD39H29

ZCKJD37

ZCKJ2

ZCKJD35

ZCKJ41H7

ZCKJ404

ZCKJD39

ZCKJ4104

ZCKJ21H29

ZCKJ4H7

ZCKJ404H7

Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach, 1 or 2 programmable direction

Complementary

Switch actuation	From left and/or right CW and/or CCW	
Positive opening	With	
Head material	Metal	

Environment

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

Packing Units

Package 1 Weight	0.167 kg	
Package 1 Height	0.420 dm	
Package 1 width	0.460 dm	
Package 1 Length	0.870 dm	

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Contractual warranty	
Warranty	18 months